



Public Health
England

National Action on Health Inequalities: The NHS and the new Public Health system

Dr Ann Marie Connolly




Points on reducing health inequalities

- PHOF
- Place
- People
- Products
- Pounds
- Partnerships



PHOF - Inequalities in life expectancy



Gap in **life expectancy** between men in most and least deprived group in England = **9.2 years** (2012/14)

Gap in **healthy life expectancy** between men in the most and least deprived group = **19.0 years** (2012/14)




Gap in **life expectancy** between women in most and least deprived group in England = **7.0 years** (2012/14)

Gap in **healthy life expectancy** between women in the most and least deprived group = **20.2 years** (2012/14)



Place



Source: Dahlgren and Whitehead, 1993



People





Products

UCL Institute of Health Equity series of practice resources to support local action on health inequalities.

Translates the recommendations of the Marmot review into **practical actions** and **approaches** that the local public health system could adopt to reduce health inequalities.



<https://www.gov.uk/government/collections/local-action-on-health-inequalities-practice-resources>



Public Health
England

Pounds




Public Health
England


Public Health
England

Protecting and improving the nation's health



NHS
England


**A guide to community-centred
approaches for health and wellbeing**

Full report



Partnerships







Public Health
England

Thank you

Dr Ann Marie Connolly
annmarie.connolly@phe.gov.uk